

OVATION VINTAGE SHAWL

baby lock



Requirements

Baby Lock Ovation

60 cm light weight jersey knit

- cut 1 piece 50cm x WOF

- cut 1 piece 4cm (1 1/2") x WOF

3 metres lace

2 x woolly nylon to match fabric

2 x polyester threads

Clear foot

Curve foot

General sewing supplies

baby lock

www.babylock.com.au

ph: 03 9339 7777

baby lock

Fold the fabric right sides together, mark and cut into a triangle from the bottom of the fold to the top corner.

Set the Ovation up for a narrow overlock, with woolly nylon in the upper and lower loopers.

Stitch Selector	B
Stitch Length	1 to 1.5
Stitch Width	M

Check the stitch on one of the offcut pieces of fabric, most light weight knits will need a differential feed of 1.3 to 1.5, the setting may vary when stitching on the angle, check both directions before stitching project.

Stitch all three sides of the triangle shawl

*Hint

When turning the corner, stitch until the needle leaves the fabric, raise the needles to the highest position, raise the presser foot, pull a small amount of needle thread down and ease the work off the needle plate, pivot the scarf and reposition on the needle plate so the corner is ready to stitch, (pic 1)

*note the clear foot makes is easier to view the work when turning corners



At the third corner run off creating a chain, use a large eye hand needle to pull the chain through to the back of the work, trim the end, (pic 2).

Using the same stitch edge the long ends of the 2 1/2" strip

If the lace you are using is not edged, convert the Ovation to a rolled hem. Remove the woolly nylon from the lower looper and replace with a polyester thread, leaving only one woolly nylon on the upper looper.

Stitch Selector	D
Stitch Length	1 to 1.5 R
Stitch Width	M



Remove the clear foot and replace with the standard/grooved foot. Convert the Ovation to a Chain Stitch using the C1 or C2 needle.

Stitch Length	4
Chain Needle Tension	5
Chain Looper Tension	Chain
Differential Feed	1.5

Gather the lace trim.

Adjust differential feed to 2, gather the centre of the 1 1/2" strip for the rosette.



baby lock

Alter the differential feed to N and the stitch length to 2-3.

Top stitch the lace to edge of the shawl

Change the presser foot to the curve foot. Mark the shawl in the centre, 15 cms above the lowest point. Fold the raw end of the 1 1/2" strip under and place on the centre point. Stitch approximately 3 -4 stitches to anchor the end of the strip, position the strip in a circular pattern scrunching more fabric in under the foot creating a ruffled rosette. Continue to stitch, pivot by raising the presser foot when the needle is down, the knee lift is an awesome feature for this type of work. When finished secure the ends of the thread by pulling through to the back and tying them off.

